


90cm 5 burner stainless steel gas cooktop with a high powered 14.4 MJ/h wok burner, cast iron trivets and easy start under knob ignition.

RRP AUS \$949.00



Product Details

FEATURES

High powered 14.4 MJ/h wok burner

Cast iron trivets

Flat Trivets

Simple and durable control panel graphics

Easy under knob ignition

Flame Failure Device

LP Gas Conversion kit included
LP Gas Conversion kit included. Must be installed by a licenced tradesperson.

BENEFITS

Lock in flavours with high heat
The key to capturing flavours in your favourite stir fry is high heat. With a 14.4 MJ/h wok burner you are able to create dishes the whole family will love.

Family safety first
Our cast iron trivets flat design ensure the base of your pots and pans are fully supported, allowing you to have a safe and stable cooking environment.

Easy to Clean
Spend more time cooking and less time cleaning. Our flat surface gives foods and spills nowhere to hide, making cleaning a breeze.

Flame out. Gas off.
In the kitchen, it should always be safety first. If the cooktop flame unexpectedly goes out, our Flame Failure Device will automatically shut down the gas supply so you and your family can breathe easy.

Specifications

PRODUCT PROFILE

Domestic warranty details (yrs)	2
Cooktop type	gas
Materials/Colour	stainless steel
Knob Finish	metalised

CONTROLS

Controls of Cooktops	knob
Position of controls	front
Features of Cooktop	flame failure,High powered wok burner,Cast iron trivets

ELEMENTS/BURNERS

LEFT FRONT ZONE

Left front zone	triple ring wok
-----------------	-----------------

DIMENSIONS

Total product height (mm)	55
Total product width (mm)	895
Total product depth (mm)	530
Cut out width (mm)	860
Cut out depth (mm)	490

FEATURES

Trivets	cast iron
Ignition type	electronic under knob ignition

CENTRE FRONT ZONE

Centre front zone	simmer
-------------------	--------

CENTRE REAR ZONE

Centre rear zone	semi-rapid
------------------	------------

RIGHT REAR ZONE

Right rear zone	rapid
-----------------	-------

GAS SPECIFICATIONS

Total burner output(NG)	49.6
-------------------------	------

Position of gas connection	rear left
----------------------------	-----------

STUFFING QUANTITIES

20ft	280
------	-----

40ft HC	630
---------	-----

RIGHT FRONT ZONE

Right front zone	semi-rapid
------------------	------------

ELECTRICAL SPECIFICATIONS

Connected load KW	0.05
-------------------	------

Type of connection	10A plug & lead
--------------------	-----------------

SHIPPING

Shipping Weight (Kg)	17.4
----------------------	------

Pack Dimensions Height (mm)	160
-----------------------------	-----

Pack Dimension Width (mm)	985
---------------------------	-----

Pack Dimension Depth (mm)	595
---------------------------	-----
