

90cm 5 burner black ceramic glass cooktop with a high powered, intense 24 MJ/h wok burner, dual valve flame control and cast iron trivets.

RRP AUS \$1,899.00



Product Details

FEATURES

High powered, intense 24 MJ/h wok burner	Dual Valve Control	Durable ceramic glass finish	Cast iron trivets
Flame Failure Device	Easy under knob ignition	LP Gas Conversion kit included LP Gas Conversion kit included. Must be installed by a licenced tradesperson.	
BENEFITS			
A hotter wok helps bring out the flavour se high heat to lock in the flavour of your dishes. With durable brass caps and 24 MJ/h you can bring your wok to high heat with even flame distribution. Spice up your cooking and spice up your life.		Boil to simmer in an instant For precision control cooking al smart Dual Valve flame control in an instant.	
Easy to Clean Spend more time cooking and less time cleaning. Our flat surface gives foods and spills nowhere to hide, making cleaning a breeze.		Flame out. Gas off. In the kitchen, it should always flame unexpectedly goes out, o automatically shut down the ga family can breathe easy.	ur Flame Failure Device will

Specifications

PRODUCT PROFILE

Domestic warranty details (yrs)	2
Cooktop type	gas
Materials/Colour	Pure black ceramic glass
Knob Finish	Metalised dark finish

DIMENSIONS

Total product height (mm)	59
Total product width (mm)	895
Total product depth (mm)	530
Cut out width (mm)	860
Cut out depth (mm)	490
Cut out height (mm)	55

CONTROLS

Controls of Cooktops	knob
Position of controls	front
Features of Cooktop	flame failure,High powered, intense wok burner,Cast iron trivets,Dual Valve Flame Control,wok holder

FEATURES

Trivets	cast iron
Ignition type	electronic under knob ignition

ELEMENTS/BURNERS

LEFT FRONT ZONE

CENTRE FRONT ZONE



WHG958BCA

Left front zone	dual valve wok	Centre front zone	simmer
CENTRE REAR ZONE		RIGHT FRONT ZONE	
Centre rear zone	semi-rapid	Right front zone	semi-rapid
RIGHT REAR ZONE		ELECTRICAL SPECIFIC	CATIONS
Right rear zone	rapid	Connected load KW	0.05
		Type of connection	10A plug & lead

GAS SPECIFICATIONS

Total burner output(NG)	59.2
Position of gas connection	rear left

SHIPPING

Shipping Volume (m3)	0.103
Shipping Weight (Kg)	20.7
Pack Dimensions Height (mm)	175
Pack Dimension Width (mm)	985
Pack Dimension Depth (mm)	595



Terms and Conditions

IMPORTANT

This is a guide of product dimensions only. For complete installation instructions, refer to the manual provided with product.

PRODUCT INFORMATION

The descriptors and illustrations in this publication apply to the specific products and models described as at the date of issue. Under our policy of continuous productdevelopment, product specifications may change without notice. Prospective purchasers should therefore check with their retailer to ensure this publication correctly describes theproducts that are being offered for sale. All information supplied is to be used for general reference purposes only and is on the understanding that Electrolux Home Products PtyLtd (Australia) and Electrolux (NZ) Ltd (New Zealand) will not be liable for any loss, liability or damage of whatever kind arising as a result of reliance on such information. Colours ofproducts illustrated are as close as printing limitations allow. Electrolux will at all times comply with its obligations pursuant to law including Trade Practices (Australian Consumer Law) Act and Regulations.

WARRANTY

This warranty only applies to Appliances purchased and used in Australia or New Zealand and used in normal domestic applications and is in addition to (and does not exclude, restrict, or modify in any way) any non-excludable statutory warranties in Australia or New Zealand. All warranties are subject to the conditions set out in the warranty card accompanying the product when purchased.

ELECTROLUX HOME PRODUCTS AUSTRALIA

telephone: 1300 363 640 fax: 1800 350 067 email: customercare@electrolux.com.au web: www.electrolux.com.au ELECTROLUX HOME PRODUCTS NEW ZEALAND telephone: 09 573 2230 fax: 09 573 2221 email: customercare@electrolux.co.nz web: www.electrolux.co.nz